Test Report Number: SHAH00728616

Applicant: PINGHU DAKE BABY CARRIER CO., LTD
BUILDING 1,NO.,1238，JIANXIN ROAD,
XINCANG, PINGHU, ZHEJIANG
Attn: ZHA JIA QI

Date: 29 Sep, 2016

Sample Description:

Four (4) pieces of submitted sample said to be :

Item Name	:	Electric Ride On Car.
Item No.	:	Volvo XC90.
Labelled Age Warning	:	CHOKING HAZARD-Small Parts Not For Children Under 3 Years.
Packaging Provided By Applicant	:	Yes.
Goods Exported To	:	Europe.
Country Of Origin	:	China.

****

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

****

Conclusion:

Tested Samples	Standard	Result
Submitted Sample	EN71-1: 2014 for Mechanical And Physical Properties	Pass
	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Tested components of submitted sample	EN 71-3:2013+A1:2014 for migration of certain elements	Pass
Submitted Sample Set	EN 62115: 2005 + A12: 2015 for Safety of Electric Toy Excluding Annex E, ZB and ZC	Pass (subjected to remarks enclosed)
Tested components of submitted sample	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII Items 23 of the Reach Regulation (EC) No. 1907/2006	Pass
	Phthalates content requirement in Annex XVII items 51 & 52 of the REACH regulation (EC) NO. 1907/2006 & Amendment NO.552/2009	Pass
Tested Component	Azocolourants Content Requirement In Annex XVII Item 43 Of The REACH Regulation (EC) NO. 1907/2006 &	Pass

****

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Leo Shi
General Manager

INTERTEK TESTING SERVICES LTD., SHANGHAI 上海天祥质量技术服务有限公司 检验检测专用章

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For ages 3 years and up.

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Protective Components	8.4.2.3	60 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	P
4.2	Assembly	P
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding Parts	P
4.10	Parts Moving Against Each Other	P
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	P
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	P
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA
5	Toys intended for Children under 36 Months	
5.1	General Requirements	NA
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Clause	Testing Items	Assessment
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA
6	Packaging	NA
7	Warnings, Markings and Instructions for Use	
7.1	General	P
7.2	Toys Not Intended for Children under 36 Months	NA
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	P
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	NA
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA

Remark： P = Pass NA = Not Applicable

Remark：Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:
1. Marking
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.
- Manufacturer's / Importer’s name and address was missed.
- Product identification code was missed.
- CE-marking was on the packaging.

Date Sample Received： Sep.21, 2016
Testing Period：Sep.21, 2016 To Sep.28, 2016

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark： P = Pass NA = Not Applicable

Date Sample Received： Sep.21, 2016
Testing Period：Sep.21, 2016 To Sep.28, 2016

3 19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3：2013 and amendment A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography-Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III)：Scraped-off toy material

Element	Result (mg/kg)						Limit (mg/kg)
	(1)	(2)	(3)#	(4)	(5)	(6)	
Aluminium (Al)	< 300	1414	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	279	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Test Report Number: SHAH00728616

Tests Conducted

Element	Result (mg/kg)						Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)						Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Element	Result (mg/kg)						Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)#	
Aluminium (Al)	< 300	< 300	< 300	750	481	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000

Remark：mg/kg = Milligram per kilogram
spl. wt. = Sample weight

- Organic tin test result was expressed as tributyl tin.
- Unless specified, test results of Chromium (III), Chromium (VI) and Organic tin were derived from migration results of total chromium and tin respectively.
- Migration of Chromium (III) = Migration of total Chromium – Migration of Chromium(VI), when performed confirmation test for Chromium (VI)

= Confirmation of Chromium (VI) test was performed on the tested component.

Tested Component(s)：See component list in the last section of this report.

(B) Categories of various toy materials

Category I：Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II：Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III：Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone , leather and other materials).

Date Sample Received： Sep.21, 2016
Testing Period：Sep.21, 2016 To Sep.23, 2016

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

4 Safety of Electric Toys

As per European standard EN 62115: 2005 + A12: 2015 on safety of electric toys.

Applicant's specified age group for testing : For ages 3 years and up.

Power source: Remote: 3V, LR03 size x 2 pcs,
Vehicle: 12 V, 7 Ah, Lead-acid rechargeable battery x 1 pc.

Charger type: Input 220-240 V A.C., Output 12 V D.C.(Provided)
Charger model: RR-48-1201000D

Electric operated function : Battery powered sound, LED and motion.

Clause	Testing items	Assessment
1	Scope	--
2	Normative references	--
3	Definitions	--
4	General requirement	--
5.13	Battery polarity reversed	P
6	Criteria for reduced testing	--
7	Marking and instructions	P
8	Power input	NA
9	Heating and abnormal operation	P See Remark (1)
10	Electric strength at operating temperature	P
11	Moisture resistance	P
12	Electric strength at room temperature	P
13	Mechanical strength	P
14	Construction	P
15	Protection of cords and wires	P
16	Components	P See Remark (2)
17	Screws and connections	P
18	Creepage distances and clearances	P
19	Resistance to heat and fire	P
20	Radiation, toxicity and similar hazards	See Remark (3)

P = Pass； NA = Not applicable

Remark：

(1) As request by the applicant, the Annex ZB circuit influence from electromagnetic phenomena (EMP) was not assessed.

(2) Applicant needs to ensure that components used in toys including charger as specified in Clause 16.1and 16.4 comply with relevant IEC safety standards and meet the national deviation of the importing countries .

(3) This test only covers the essential safety requirements concerning electrical properties on the safety of toys and in order to comply with EN 62115: 2005 + A12: 2015, electrical toys shall not emit harmful radiation or present a toxic or similar hazard due to their operation in normal use and shall comply class 1 accordance with IEC 60825-1 or EN 60825-1 for the lasers and light emitting diodes (LED). Toys with an integrated field source generating EMF shall comply with EN 62233.

Date Sample Received： Sep.21, 2016
Testing Period：Sep.21, 2016 To Sep.28, 2016

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

5 Cadmium (Cd) content

With reference to methods EN 1122 (Method B)/ IEC 62321:2008/ ISO 11885:2007, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result in %
(1)	ND
(2)	ND
(3)	ND
(4+5+6)	ND
(7+8+9)	ND
(10+11+13)	ND
(12+14)	ND
(15+16+17)	ND
(18)	ND
(19+20)	ND
(21)	ND
(22)	ND
(23)	ND

Requirement：	
Category	Limit (%)
Paints with codes [3208] and [3209]	0.01
Paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint	0.1
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark：ND = not Detected (<0.0005%)

Tested Components：See component list in the last section of this report.

Date Sample Received： Sep.21, 2016
Testing Period：Sep.21, 2016 To Sep.23, 2016

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

6 Phthalate content test

With reference to EN 14372, by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Tested compound	Result (%,w/w)				Limit(%,w/w) (MAX.)
	(3)	(4+5+6)	(7+9+12)	(10+11+13)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	---
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	---
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	---
Sum of three phthalates	ND	ND	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	---
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	---
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	---
Sum of three phthalates	ND	ND	ND	ND	0.1

Tested compound	Result (%,w/w)			Limit(%,w/w) (MAX.)
	(14+32)	(15+16+17)	(21)	
Di-butyl phthalate (DBP)	ND	ND	ND	---
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	---
Benzyl butyl phthalate (BBP)	ND	ND	ND	---
Sum of three phthalates	ND	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	---
Di-n-octyl phthalate (DNOP)	ND	ND	ND	---
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	---
Sum of three phthalates	ND	ND	ND	0.1

Remark： The above limit was quoted according to Annex XVII items 51 & 52 of the REACH regulation (EC) NO.1907/2006 & Amendment NO.552/2009 for phthalate content in toys and children care articles.

Detection limit = 0.01%(w/w)
ND = Not detected

Tested components： See component list in the last section of this report.

Date Sample Received： Sep.21, 2016
Testing Period： Sep.21, 2016 To Sep.23, 2016

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

7 Detection Of Amines Derived From Azocolourants and Azodyes：

By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method： EN 14362-1： 2012 for Textile Material
EN ISO 17234-1： 2010 for Leather Material
EN 14362-3： 2012 & EN ISO 17234-2: 2011 for p-Aminoazobenzene

	Forbidden	Cas No.	Result (24)
1.	4-Aminodiphenyl	92-67-1	N
2.	Benzidine	92-87-5	N
3.	4-Chloro-o-Toluidine	95-69-2	N
4.	2-Naphthylamine	91-59-8	N
5.	o-Aminoazotoluene	97-56-3	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N
7.	p-Chloroaniline	106-47-8	N
8.	2,4-Diaminoanisole	615-05-4	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N
10.	3,3'-Dichlorobenzidine	91-94-1	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N
12.	3,3'-Dimethylbenzidine	119-93-7	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N
14.	p-Cresidine	120-71-8	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N
16.	4,4'-Oxydianiline	101-80-4	N
17.	4,4'-Thiodianiline	139-65-1	N
18.	o-Toluidine	95-53-4	N
19.	2,4-Toluylenediamine	95-80-7	N
20.	2,4,5-Trimethylaniline	137-17-7	N
21.	o-Anisidine	90-04-0	N
22.	p-Aminoazobenzene	60-09-3	N

Remark： N = Not Detected
Detection Limit = 5 ppm
Requirement = 30 ppm (Max.)
ppm = Parts Per Million = mg/kg

Tested Components： See component list in the last section of this report.

Date Sample Received： Sep.21, 2016
Testing Period： Sep.21, 2016 To Sep.22, 2016

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Components List：

(1) Black/white/red coatings on paper.(sticker) (spl. wt. = 11mg)
(2) Bright silver color coating on plastic.(body)(spl. wt. = 26mg)
(3) Black coating on metal.(frame & logo)(spl. wt. = 39mg)
(4) Black plastic.(on body & wheel & steering wheel & dash board & seat & buckle on belt)
(5) Transparent plastic.(wind shield & window)
(6) Beige plastic.(gear shift & on body)
(7) Gray plastic.(on head)
(8) Light beige plastic excluding coating.(on body)
(9) Black plastic.(body)
(10) Transparent plastic.(front light)
(11) Gray plastic.(accelerator)
(12) Beige/black plastic.(on door)
(13) White plastic.(gear box & on bottom & coupling)
(14) White plastic.(plug)
(15) Beige white plastic.(on dash board & on door)
(16) Cream color plastic.(remove control)
(17) Transparent red plastic.(light on remove control) (spl. wt. = 76mg)
(18) Transparent adhesive plastic with underlying coatings.(on dash board)
(19) Dark blue soft plastic.(wire skin)
(20) Dark brown soft plastic.(wire skin)
(21) Orange soft plastic.(button on remove control)
(22) White adhesive plastic film with underlying coatings.(sticker) (spl. wt. = 72mg)
(23) White adhesive paper excluding coatings.(sticker) (spl. wt. = 37mg)
(24) Black woven fabric.(safety belt)
(25) Silver color metal.(screw & nut & washer)
(26) Silver color metal with black treatment.(rivet)
(27) Silver color metal excluding coating.(on bottom)
(28) Silver color metal film with plastic.(logo & on dash board)
(29) Silver color metal.(key & socket)
(30) Silver color metal.(key ring)
(31) White adhesive paper with multi-color coatings.(sticker)
(32) Light beige plastic with bright silver color coating.(on body)

****

End of report

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn